

CERTIFICATE OF ANALYSIS

PRODUCED: NOV 28, 2022

SAMPLE: APE TIGER - TRUE OG 1 G. (OTHER (INHALABLE)) // **CLIENT:** NORTHRIDGE CAREGIVERS CO-OP, INC. // **BATCH:** PASS


BATCH NO.: ATTOG-112122
MATRIX: OTHER (INHALABLE)
CATEGORY: INHALABLE
SAMPLE ID: PSL-221122-004
COLLECTED ON: NOV 22, 2022
RECEIVED ON: NOV 22, 2022
BATCH/SAMPLE SIZE: 1987 UNITS / 13 UNITS
SAMPLED BY: DARRNELL THOMAS
RECEIVED BY: PATRICK RUBIO
PACKAGE SIZE: 1 G

CANNABINOID OVERVIEW

TOTAL THC:	95.001 %
TOTAL CBD:	0.765 %
TOTAL CANNABINOIDS:	99.996 %

MANUFACTURER INFO

MANUFACTURER
 NORTHRIDGE CAREGIVERS CO, INC.
 11826 WEST SHELDON ST
 SUN VALLEY, CA 91352

LICENSE
 CDPH-10003211
 ADULT-USE AND MEDICINAL -
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 NORTHRIDGE CAREGIVERS CO-OP, INC.
 11826 WEST SHELDON ST
 SUN VALLEY, CA 91352

LICENSE
 C11-0000179-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

POTENCY	PASS	MYCOTOXINS	PASS
FOREIGN	PASS	PESTICIDES	PASS
METALS	PASS	SOLVENTS	PASS
MICROBIAL	PASS		

CAN: POTENCY BY UHPLC: SOP 5-10 CANNABINOIDS // NOV 22, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.816 %	8.16 mg/g	8.16 mg/g	0.089/0.270	N/A	THCA		ND	ND	0.302/0.914	N/A
CBD	0.765 %	7.65 mg/g	7.65 mg/g	0.101/0.306	N/A	THCV		ND	ND	0.024/0.095	N/A
CBDA	ND	ND	ND	0.132/0.400	N/A	TOTAL THC**	95.001 %	950.01 mg/g			N/A
CBDV	ND	ND	ND	0.031/0.095	N/A	TOTAL CBD**	0.765 %	7.65 mg/g			N/A
CBG	2.491 %	24.91 mg/g	24.91 mg/g	3.610/10.926	N/A	CBD/PKG		7.65 mg			N/A
CBGA	ND	ND	ND	0.009/0.095	N/A	Δ⁹-THC/PKG	950.01 mg				PASS
CBN	0.923 %	9.23 mg/g	9.23 mg/g	0.014/0.095	N/A	TOTAL THC/PKG**	950.01 mg				N/A
Δ ⁸ -THC	ND	ND	ND	0.038/0.191	N/A	TOTAL CBD/PKG**	7.65 mg				N/A
Δ ⁹ -THC	95.001 %	950.01 mg/g	950.01 mg/g	2.407/9.626	N/A						

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: TOMMIE GRIFFIN
 LAB DIRECTOR, PACIFIC STAR LABS
 NOV 28, 2022



REGULATORY COMPLIANCE TESTING

PESTICIDES BY GC-MS/MS: SOP 5-12 PESTICIDES AND MYCOTOXINS // NOV 23, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.041/0.124	PASS	CYFLUTHRIN IV		ND	0.008/0.025	N/A
CHLORDANE	Any amt	ND		PASS	CYPERMETHRIN	1 µg/g	ND		PASS
CHLORDANE CIS		ND	0.006/0.026	N/A	CYPERMETHRIN I		ND	0.006/0.019	N/A
CHLORDANE TRANS		ND	0.004/0.026	N/A	CYPERMETHRIN II		ND	0.008/0.025	N/A
CHLORFENAPYR	Any amt	ND	0.021/0.064	PASS	CYPERMETHRIN III		ND	0.012/0.038	N/A
CYFLUTHRIN	2 µg/g	ND		PASS	CYPERMETHRIN IV		ND	0.004/0.012	N/A
CYFLUTHRIN I		ND	0.003/0.012	N/A	METHYL PARATHION	Any amt	ND	0.026/0.079	PASS
CYFLUTHRIN II		ND	0.008/0.025	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.023/0.070	PASS
CYFLUTHRIN III		ND	0.009/0.026	N/A					

PESTICIDES BY LC-MS/MS: SOP 5-12 PESTICIDES AND MYCOTOXINS // NOV 23, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND		PASS	MALATHION	0.5 µg/g	ND	0.014/0.043	PASS
ABAMECTIN BA		ND	0.012/0.038	N/A	METALAXYL	2 µg/g	ND	0.016/0.047	PASS
ACEPHATE	0.1 µg/g	ND	0.004/0.026	PASS	METHIOCARB	Any amt	ND	0.011/0.033	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.015/0.045	PASS	METHOMYL	1 µg/g	ND	0.010/0.032	PASS
ACETAMIPRID	0.1 µg/g	ND	0.009/0.026	PASS	MEVINPHOS	Any amt	ND		PASS
ALDICARB	Any amt	ND	0.012/0.036	PASS	MEVINPHOS I		ND	0.002/0.006	N/A
AZOXYSTROBIN	0.1 µg/g	ND	0.011/0.033	PASS	MEVINPHOS II		ND	0.007/0.021	N/A
BIFENAZATE	0.1 µg/g	< LOQ	0.014/0.042	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.008/0.026	PASS
BIFENTHRIN	3 µg/g	ND	0.022/0.066	PASS	NALED	0.1 µg/g	ND	0.016/0.047	PASS
BOSCALID	0.1 µg/g	ND	0.016/0.049	PASS	OXAMYL	0.5 µg/g	ND	0.009/0.027	PASS
CARBARYL	0.5 µg/g	ND	0.012/0.037	PASS	PACLOBUTRAZOL	Any amt	ND	0.007/0.026	PASS
CARBOFURAN	Any amt	ND	0.011/0.032	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.008/0.024	PASS	PERMETHRIN CIS		ND	0.009/0.026	N/A
CHLORPYRIFOS	Any amt	ND	0.024/0.073	PASS	PERMETHRIN TRANS		ND	0.011/0.034	N/A
CLOFENTEZINE	0.1 µg/g	ND	0.016/0.049	PASS	PHOSMET	0.1 µg/g	ND	0.014/0.042	PASS
COUMAPHOS	Any amt	ND	0.018/0.054	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.017/0.052	PASS
DAMINOZIDE	Any amt	ND	0.015/0.045	PASS	PRALLETHRIN	0.1 µg/g	ND	0.016/0.050	PASS
DIAZINON	0.1 µg/g	ND	0.015/0.045	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.011/0.034	PASS
DICHLORVOS	Any amt	ND	0.014/0.043	PASS	PROPOXUR	Any amt	ND	0.011/0.032	PASS
DIMETHOATE	Any amt	ND	0.008/0.026	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.012/0.035	N/A
DIMETHOMORPH I		ND	0.010/0.029	N/A	PYRETHRINS PYRETHRIN II		ND	0.006/0.017	N/A
DIMETHOMORPH II		ND	0.004/0.012	N/A	PYRIDABEN	0.1 µg/g	ND	0.016/0.048	PASS
ETHOPROPHOS	Any amt	ND	0.010/0.031	PASS	SPINETORAM	0.1 µg/g	ND		PASS
ETOFENPROX	Any amt	ND	0.016/0.049	PASS	SPINETORAM J		ND	0.006/0.020	N/A
ETOXAZOLE	0.1 µg/g	ND	0.015/0.046	PASS	SPINETORAM L		ND	0.003/0.010	N/A
FENHEXAMID	0.1 µg/g	ND	0.013/0.041	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENOXYCARB	Any amt	ND	0.016/0.049	PASS	SPINOSAD A		ND	0.006/0.020	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.016/0.049	PASS	SPINOSAD D		ND	0.003/0.010	N/A
FIPRONIL	Any amt	ND	0.014/0.042	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.017/0.052	PASS
FLONICAMID	0.1 µg/g	ND	0.005/0.026	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.014/0.042	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.015/0.045	PASS	SPIROXAMINE	Any amt	ND	0.013/0.038	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.016/0.049	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.010/0.031	PASS
IMAZALIL	Any amt	ND	0.009/0.029	PASS	THIACLOPRID	Any amt	ND	0.009/0.029	PASS
IMIDACLOPRID	5 µg/g	ND	0.008/0.026	PASS	THIAMETHOXAM	5 µg/g	ND	0.010/0.030	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.015/0.044	PASS	TRIFLOXYSTROBIN	0.1 µg/g	< LOQ	0.019/0.056	PASS



MIC: MICROBIOLOGICAL CONTAMINANTS BY QPCR: SOP 5-9 MICROBIOLOGY // NOV 23, 2022

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

MYC: MYCOTOXINS BY LC-MS/MS: SOP 5-12 PESTICIDES AND MYCOTOXINS // NOV 23, 2022

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.692/2.654	N/A	AFLATOXIN G2		ND	1.154/3.461	N/A
AFLATOXIN B2		ND	1.154/3.461	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	0.692/2.654	N/A	OCHRATOXIN A	20 µg/kg	ND	1.154/3.461	PASS

HVM: HEAVY METALS BY ICP-MS: SOP 5-13 METALS // NOV 28, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.065/0.196	PASS	LEAD	0.5 µg/g	ND	0.035/0.107	PASS
CADMIUM	0.2 µg/g	ND	0.015/0.050	PASS	MERCURY	0.1 µg/g	ND	0.008/0.027	PASS

FFM: FILTH AND FOREIGN MATERIAL BY VISUAL INSPECTION: SOP 5-4-2 FOREIGN MATERIAL TESTING // NOV 22, 2022

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

SOL: RESIDUAL SOLVENTS BY HS-GC-MS: SOP 5-11 SOLVENTS // NOV 22, 2022

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.190/0.952	PASS	HEXANE	290 µg/g	ND	5.810/28.571	PASS
ACETONE	5000 µg/g	< LOQ	3.905/28.571	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	1.905/28.571	PASS
ACETONITRILE	410 µg/g	ND	1.810/28.571	PASS	METHANOL	3000 µg/g	ND	1.619/28.571	PASS
BENZENE	1 µg/g	ND	0.190/0.952	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.095/0.952	PASS
BUTANE	5000 µg/g	ND	3.429/19.048	PASS	PENTANE	5000 µg/g	ND	5.238/28.571	PASS
CHLOROFORM	1 µg/g	ND	0.190/0.952	PASS	PROPANE	5000 µg/g	ND	4.571/19.048	PASS
ETHANOL	5000 µg/g	ND	2.571/28.571	PASS	TOLUENE	890 µg/g	ND	7.238/28.571	PASS
ETHYL ACETATE	5000 µg/g	ND	4.571/28.571	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.190/0.952	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.095/0.952	PASS	O-XYLENE		ND	6.095/28.571	N/A
ETHYL ETHER	5000 µg/g	ND	4.095/28.571	PASS	P- AND M-XYLENE		ND	11.143/57.143	N/A
HEPTANE	5000 µg/g	ND	6.381/28.571	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

