

CERTIFICATE OF ANALYSIS

PRODUCED: JAN 12, 2023

SAMPLE: APE MEDUSA 7 INFUSED MINI-JOINTS 3.5G (PRE-ROLL) // **CLIENT:** NORTHRIDGE CAREGIVERS CO-OP, INC. // **BATCH:** PASS


BATCH NO.: AIJ7M-010923
MATRIX: PRE-ROLL
CATEGORY: INHALABLE
SAMPLE ID: PSL-230110-009
COLLECTED ON: JAN 10, 2023
RECEIVED ON: JAN 10, 2023
BATCH/SAMPLE SIZE: 2000 UNITS / 15 UNITS
SAMPLED BY: DARNELL THOMAS
RECEIVED BY: XAVIER MYRICK
PACKAGE SIZE: 3.5 G

CANNABINOID OVERVIEW

TOTAL THC:	44.203 %
TOTAL CBD:	0.046 %
TOTAL CANNABINOIDS:	51.487 %

MANUFACTURER INFO

MANUFACTURER
 NORTHRIDGE CAREGIVERS CO, INC.
 11826 WEST SHELDON ST
 SUN VALLEY, CA 91352

LICENSE
 CDPH-10003211
 ADULT-USE AND MEDICINAL -
 MANUFACTURING LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 NORTHRIDGE CAREGIVERS CO-OP, INC.
 11826 WEST SHELDON ST
 SUN VALLEY, CA 91352

LICENSE
 C11-0000179-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

POTENCY	TESTED	MYCOTOXINS	PASS
FOREIGN	PASS	PESTICIDES	PASS
METALS	PASS	SOLVENTS	PASS
MICROBIAL	PASS	WATER	PASS
MOISTURE	TESTED		

CAN: POTENCY BY UHPLC: SOP 5-10 CANNABINOIDS // JAN 12, 2023 01:37:00 UTC

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC	0.053 %	0.53 mg/g	0.53 mg/g	0.091/0.276	N/A	THCA	50.403 %	504.03 mg/g	15.615/47.239	N/A	N/A
CBD	ND	ND	ND	0.103/0.313	N/A	THCV	ND	ND	0.024/0.098	N/A	N/A
CBDA	0.052 %	0.52 mg/g	0.52 mg/g	0.136/0.410	N/A	TOTAL THC**	44.203 %	442.03 mg/g		N/A	N/A
CBDV	ND	ND	ND	0.032/0.098	N/A	TOTAL CBD**	0.046 %	0.46 mg/g		N/A	N/A
CBG	0.158 %	1.58 mg/g	1.58 mg/g	0.073/0.221	N/A	CBD/PKG	ND	ND		N/A	N/A
CBGA	0.802 %	8.02 mg/g	8.02 mg/g	0.009/0.098	N/A	Δ⁹-THC/PKG	ND	ND		N/A	N/A
CBN	0.019 %	0.19 mg/g	0.19 mg/g	0.015/0.098	N/A	TOTAL THC/PKG**	1547.105 mg			N/A	N/A
Δ ⁸ -THC	ND	ND	ND	0.039/0.195	N/A	TOTAL CBD/PKG**	1.610 mg			N/A	N/A
Δ ⁹ -THC	ND	ND	ND	0.049/0.195	N/A						

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF
 REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL
 WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA.

RESULTS CERTIFIED BY: TOMMIE GRIFFIN
 LAB DIRECTOR, PACIFIC STAR LABS
 JAN 12, 2023



REGULATORY COMPLIANCE TESTING

PESTICIDES BY GC-MS/MS: SOP 5-12 PESTICIDES AND MYCOTOXINS // JAN 12, 2023 01:26:00 UTC

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CAPTAN	0.7 µg/g	ND	0.041/0.125	PASS	CYFLUTHRIN IV		ND	0.008/0.025	N/A
CHLORDANE	Any amt	ND		PASS	CYPERMETHRIN	1 µg/g	ND		PASS
CHLORDANE CIS		ND	0.006/0.026	N/A	CYPERMETHRIN I		ND	0.006/0.019	N/A
CHLORDANE TRANS		ND	0.004/0.026	N/A	CYPERMETHRIN II		ND	0.008/0.025	N/A
CHLORFENAPYR	Any amt	ND	0.021/0.064	PASS	CYPERMETHRIN III		ND	0.013/0.039	N/A
CYFLUTHRIN	2 µg/g	ND		PASS	CYPERMETHRIN IV		ND	0.004/0.012	N/A
CYFLUTHRIN I		ND	0.003/0.013	N/A	METHYL PARATHION	Any amt	ND	0.026/0.079	PASS
CYFLUTHRIN II		ND	0.008/0.025	N/A	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.023/0.071	PASS
CYFLUTHRIN III		ND	0.009/0.026	N/A					

PESTICIDES BY LC-MS/MS: SOP 5-12 PESTICIDES AND MYCOTOXINS // JAN 12, 2023 01:30:00 UTC

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND		PASS	MALATHION	0.5 µg/g	ND	0.014/0.044	PASS
ABAMECTIN BA		ND	0.013/0.038	N/A	METALAXYL	2 µg/g	ND	0.016/0.048	PASS
ACEPHATE	0.1 µg/g	ND	0.004/0.026	PASS	METHIOCARB	Any amt	ND	0.011/0.034	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.015/0.046	PASS	METHOMYL	1 µg/g	ND	0.011/0.032	PASS
ACETAMIPRID	0.1 µg/g	ND	0.009/0.026	PASS	MEVINPHOS	Any amt	ND		PASS
ALDICARB	Any amt	ND	0.012/0.036	PASS	MEVINPHOS I		ND	0.002/0.006	N/A
AZOXYSTROBIN	0.1 µg/g	ND	0.011/0.033	PASS	MEVINPHOS II		ND	0.007/0.022	N/A
BIFENAZATE	0.1 µg/g	< LOQ	0.014/0.042	PASS	MYCLOBUTANIL	0.1 µg/g	ND	0.008/0.026	PASS
BIFENTHRIN	3 µg/g	ND	0.022/0.067	PASS	NALED	0.1 µg/g	ND	0.016/0.048	PASS
BOSCALID	0.1 µg/g	ND	0.016/0.050	PASS	OXAMYL	0.5 µg/g	ND	0.009/0.027	PASS
CARBARYL	0.5 µg/g	ND	0.012/0.037	PASS	PACLOBUTRAZOL	Any amt	ND	0.007/0.026	PASS
CARBOFURAN	Any amt	ND	0.011/0.033	PASS	PERMETHRIN	0.5 µg/g	ND		PASS
CHLORANTRANIL-IPROLE	10 µg/g	ND	0.008/0.024	PASS	PERMETHRIN CIS		ND	0.009/0.026	N/A
CHLORPYRIFOS	Any amt	ND	0.024/0.073	PASS	PERMETHRIN TRANS		ND	0.011/0.034	N/A
CLOFENTEZINE	0.1 µg/g	ND	0.016/0.049	PASS	PHOSMET	0.1 µg/g	ND	0.014/0.043	PASS
COUMAPHOS	Any amt	ND	0.018/0.054	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.017/0.053	PASS
DAMINOZIDE	Any amt	ND	0.015/0.045	PASS	PRALLETHRIN	0.1 µg/g	ND	0.017/0.050	PASS
DIAZINON	0.1 µg/g	ND	0.015/0.045	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.011/0.034	PASS
DICHLORVOS	Any amt	ND	0.014/0.044	PASS	PROPOXUR	Any amt	ND	0.011/0.033	PASS
DIMETHOATE	Any amt	ND	0.008/0.026	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
DIMETHOMORPH	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.012/0.036	N/A
DIMETHOMORPH I		ND	0.010/0.030	N/A	PYRETHRINS PYRETHRIN II		ND	0.006/0.017	N/A
DIMETHOMORPH II		ND	0.004/0.012	N/A	PYRIDABEN	0.1 µg/g	ND	0.016/0.048	PASS
ETHOPROPHOS	Any amt	ND	0.010/0.031	PASS	SPINETORAM	0.1 µg/g	ND		PASS
ETOFENPROX	Any amt	ND	0.016/0.049	PASS	SPINETORAM J		ND	0.007/0.020	N/A
ETOXAZOLE	0.1 µg/g	ND	0.015/0.047	PASS	SPINETORAM L		ND	0.003/0.010	N/A
FENHEXAMID	0.1 µg/g	ND	0.013/0.041	PASS	SPINOSAD	0.1 µg/g	ND		PASS
FENOXYCARB	Any amt	ND	0.016/0.050	PASS	SPINOSAD A		ND	0.007/0.020	N/A
FENPYROXIMATE	0.1 µg/g	ND	0.016/0.049	PASS	SPINOSAD D		ND	0.003/0.010	N/A
FIPRONIL	Any amt	ND	0.014/0.042	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.017/0.052	PASS
FLONICAMID	0.1 µg/g	ND	0.005/0.026	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.014/0.043	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.015/0.046	PASS	SPIROXAMINE	Any amt	ND	0.013/0.039	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.016/0.049	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.010/0.032	PASS
IMAZALIL	Any amt	ND	0.010/0.029	PASS	THIACLOPRID	Any amt	ND	0.010/0.029	PASS
IMIDACLOPRID	5 µg/g	ND	0.008/0.026	PASS	THIAMETHOXAM	5 µg/g	ND	0.010/0.030	PASS
KRESOXIM-METHYL	0.1 µg/g	ND	0.015/0.045	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.019/0.057	PASS



MOIS: MOISTURE CONTENT BY MOISTURE ANALYZER: SOP 5-8 MOISTURE CONTENT // JAN 13, 2023 02:12:00 UTC

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		9.080	N/A

MIC: MICROBIOLOGICAL CONTAMINANTS BY QPCR: SOP 5-9 MICROBIOLOGY // JAN 11, 2023 22:31:00 UTC

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

MYC: MYCOTOXINS BY LC-MS/MS: SOP 5-12 PESTICIDES AND MYCOTOXINS // JAN 12, 2023 01:30:00 UTC

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.697/2.673	N/A	AFLATOXIN G2		ND	1.162/3.487	N/A
AFLATOXIN B2		ND	1.162/3.487	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	0.697/2.673	N/A	OCHRATOXIN A	20 µg/kg	ND	1.162/3.487	PASS

HVM: HEAVY METALS BY ICP-MS: SOP 5-13 METALS // JAN 11, 2023 23:55:00 UTC

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.019/0.094	PASS	LEAD	0.5 µg/g	ND	0.038/0.235	PASS
CADMIUM	0.2 µg/g	< LOQ	0.009/0.094	PASS	MERCURY	0.1 µg/g	ND	0.003/0.047	PASS

WAA: WATER ACTIVITY BY WATER ACTIVITY METER: SOP 5-7 WATER ACTIVITY // JAN 13, 2023 02:12:00 UTC

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.591	PASS

FFM: FILTH AND FOREIGN MATERIAL BY VISUAL INSPECTION: SOP 5-4-2 FOREIGN MATERIAL TESTING // JAN 10, 2023 18:32:00 UTC

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

SOL: RESIDUAL SOLVENTS BY HS-GC-MS: SOP 5-11 SOLVENTS // JAN 11, 2023 17:58:00 UTC

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-DICHLOROETHANE	1 µg/g	ND	0.183/0.914	PASS	HEXANE	290 µg/g	ND	5.574/27.412	PASS
ACETONE	5000 µg/g	< LOQ	3.746/27.412	PASS	ISOPROPYL ALCOHOL	5000 µg/g	ND	1.827/27.412	PASS
ACETONITRILE	410 µg/g	ND	1.736/27.412	PASS	METHANOL	3000 µg/g	ND	1.553/27.412	PASS
BENZENE	1 µg/g	ND	0.183/0.914	PASS	METHYLENE CHLORIDE	1 µg/g	ND	0.091/0.914	PASS
BUTANE	5000 µg/g	< LOQ	3.289/18.275	PASS	PENTANE	5000 µg/g	ND	5.026/27.412	PASS
CHLOROFORM	1 µg/g	ND	0.183/0.914	PASS	PROPANE	5000 µg/g	ND	4.386/18.275	PASS
ETHANOL	5000 µg/g	ND	2.467/27.412	PASS	TOLUENE	890 µg/g	ND	6.944/27.412	PASS
ETHYL ACETATE	5000 µg/g	< LOQ	4.386/27.412	PASS	TRICHLOROETHYLENE	1 µg/g	ND	0.183/0.914	PASS
ETHYLENE OXIDE	1 µg/g	ND	0.091/0.914	PASS	O-XYLENE		ND	5.848/27.412	N/A
ETHYL ETHER	5000 µg/g	ND	3.929/27.412	PASS	P- AND M-XYLENE		ND	10.691/54.825	N/A
HEPTANE	5000 µg/g	ND	6.122/27.412	PASS	TOTAL XYLENES	2170 µg/g	ND		PASS

