

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

APE - Acai Berry Gelato - 1.1g

METRC Batch: 1A406030000A2C000000165 METRC Sample: 1A406030000A2BE000006001 Sample ID: 2205ENC4091_4751 Strain: APE - Acai Berry Gelato - 1.1g

Matrix: Concentrates & Extracts Type: Distillate Batch#: ACABG-050622



Collected: 05/12/2022 Received: 05/12/2022 Completed: 05/16/2022 Sample Size: 13 units; Batch: 2,000 units

Summary

Distributor Northridge Caregivers Co-op Producer Northridge Caregivers Co-op

Lic. # C11-0000179-LIC 11826 SHELDON ST, Sun Valley, CA, 91352 Lic. # CDPH-10003211 11826 SHELDON ST Sun Valley, CA 91352

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	05/13/2022	LC-DAD	Pass
Pesticides	05/13/2022	LC-MS	Pass
Mycotoxins	05/13/2022	LC-MS	Pass
Residual Solvents	05/13/2022	HS-GC-MS	Pass
Microbial Impurities	05/16/2022	qPCR	Pass
Heavy Metals	05/16/2022	ICP-MS	Pass
Foreign Matter	05/13/2022	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

64.704 9	%		0.366 % 6		67.992 %	
Total TH	С		Total CBD			Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.232	0.702	ND	ND	ND	
Δ9-THC	0.248	0.752	64.704	647.04	711.75	
Δ8-THC	0.274	0.831	2.520	25.20	27.72	
THCVa	0.267	0.810	ND	ND	ND	
THCV	0.277	0.838	0.201	2.01	2.21	
CBDa	0.243	0.737	ND	ND	ND	
CBD	0.234	0.710	0.366	3.66	4.02	
CBN	0.221	0.669	0.097	0.97	1.07	
CBGa	0.264	0.800	ND	ND	ND	
CBG	0.243	0.738	0.104	1.04	1.14	
CBCa	0.215	0.652	ND	ND	ND	
CBC	0.253	0.766	ND	ND	ND	
Total THC			64.704	647.04	711.745	
Total CBD			0.366	3.66	4.023	
Total Cannabinoids			67.992	679.92	747.908	

1 Unit = 1.1g;

Total THC = THCa * $0.877 + \Delta 9$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid form * 0.877) + cannabinoid; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Duff Mm Mary Beth Smith Compliance Manager | 05/16/2022



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107

Collected: 05/12/2022

Received: 05/12/2022 Completed: 05/16/2022

Sample Size: 13 units; Batch: 2,000 units

(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

APE - Acai Berry Gelato - 1.1g

METRC Batch: 1A406030000A2C000000165 METRC Sample: 1A406030000A2BE000006001 Sample ID: 2205ENC4091_4751 Strain: APE - Acai Berry Gelato - 1.1g

Matrix: Concentrates & Extracts Type: Distillate Batch#: ACABG-050622

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.05	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 05/13/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma Mary Beth Smith Compliance Manager | 05/16/2022



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Producer Northridge Caregivers Co-op

Lic. # C11-0000179-LIC 11826 SHELDON ST, Sun Valley, CA, 91352

Northridge Caregivers Co-op

Distributor

Lic. # CDPH-10003211 11826 SHELDON ST Sun Valley, CA 91352 (626) 696-3086 we. https://encore-labs.com A 91107 Lic# C8-0000086-LIC

APE - Acai Berry Gelato - 1.1g

METRC Batch: 1A406030000A2C000000165 METRC Sample: 1A406030000A2BE000006001 Sample ID: 2205ENC4091_4751	Collected: 05/12/2022	Distributor Northridge Caregivers Co-op	Producer Northridge Caregivers Co-op
Strain: APE - Acai Berry Gelato - 1.1g	Received: 05/12/2022	5 5 1	5 5 1
	Completed: 05/16/2022	Lic. # C11-0000179-LIC	Lic. # CDPH-10003211
Matrix: Concentrates & Extracts	Sample Size: 13 units; Batch: 2,000 units	11826 SHELDON ST,	11826 SHELDON ST
Type: Distillate		Sun Valley, CA, 91352	Sun Valley, CA 91352
Batch#: ACABG-050622			

Mycotoxins

Method: EL-PESTMYCOLCMS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	2.00	4.00		ND	Tested
Aflatoxin B2	2.00	4.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	2.00	4.00		ND	Tested
Ochratoxin A	1.00	2.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 05/13/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	hð\ð	µg/g	µg/g	µg/g	
Acetone	5.50	16.68	5000	ND	Pass
Acetonitrile	4.56	13.82	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	3.33	10.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	3.33	10.00	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Acetate	3.33	10.00	5000	ND	Pass
Ethyl-Ether	3.33	10.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	3.33	10.00	5000	ND	Pass
n-Hexane	3.33	10.00	290	ND	Pass
Isopropanol	3.33	10.00	5000	ND	Pass
Methanol	8.85	26.80	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	3.33	10.00	5000	ND	Pass
Propane	3.33	10.00	5000	ND	Pass
Toluene	3.33	10.00	890	ND	Pass
Xylenes	6.66	20.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 05/13/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma Mary Beth Smith Compliance Manager | 05/16/2022



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

APE - Acai Berry Gelato - 1.1g

METRC Sample: 1A406030000A2BE000006001		Distributor	Producer
Sample ID: 2205ENC4091_4751	Collected: 05/12/2022	Northridge Caregivers Co-op	Northridge Caregivers Co-op
Strain: APE - Acai Berry Gelato - 1.1g	Received: 05/12/2022		
	Completed: 05/16/2022	Lic. # C11-0000179-LIC	Lic. # CDPH-10003211
Matrix: Concentrates & Extracts	Sample Size: 13 units; Batch: 2,000 units	11826 SHELDON ST,	11826 SHELDON ST
Type: Distillate		Sun Valley, CA, 91352	Sun Valley, CA 91352
Batch#: ACABG-050622		-	-

Microbial Impurities Method: SOP EL-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 05/16/2022

Heavy Metals

Method: Got EE HE/ (CHME)/ (E	0				
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 05/16/2022

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma aut Mary Beth Smith Compliance Manager | 05/16/2022



Acceptation # 101411 Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.